



GE  
Lighting



A+

energy class

101

lumens/watt

## GE Energy Smart™ GLS Dimmable

LED ESmart A67 15W(100)Dim 827 E27

# 93064067

### Product information

GE's LED retrofit lamps offer great possibility to replace incandescent, compact fluorescent or halogen lamps with a 2700K Extra Warm White LED lamp with wide light distribution (240°) for general lighting. GE LEDs are very economical and environmentally friendly: they are mercury free, use far less energy than halogen or incandescent lights, and last longer. They fit into everyday light fittings and the light comes on the instant you flick the switch.

### Application areas



Retail



Office



Hospitality



Home



## Product data

Product Code	93064067
Bulb Shape	A67
Bulb Finish	White
Bulb maximum overall diameter [mm]	70
Nominal Length [mm]	134
Net weight per piece [g]	147
RoHS compliant	Yes
Brand	GE BX
Cap/Base	E27

## Performance data

Nominal/ Rated Beam Angle [°]	240
Rated efficacy [lm/W]	101
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]	2700
Nominal lumens [lm]	1521
Colour Rendering Index (CRI) [Ra]	80

## Electrical data

Nominal lamp power factor..	>0.5
Operating Temperature (MIN) [°C]	-20
Operating Temperature (MAX) [°C]	40
Startup time [sec]	<0.5s
Number of switching cycles	50000
Dimming Capability	Yes
Nominal lamp voltage range [V]	220-240V
Nominal power [W]	15
Nominal lamp voltage [V]	230

## Logistic data

DUN Code	10064894578950
EAN Code	0064894578953
Pack Quantity	6
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Product datasheet \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[LED Lighting Solutions - Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[GLS Bulb range Datasheets \(HTTP\)](#)

[GE Energy Smart™ GLS Dimmable range images \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)