
JГUNGSRAM[™]

Innovation is our heritage EST. 1896





LED GU10 - High Lumen, High CRI LED GU10 Dim 6.8W HL 940 60° TU 93119547

Product information

Tungsram LED GU10 - High Lumen & High Color Rendering - provides a high quality, dimmable replacement for Halogen products. Premium GU10 lamps are available in 3 main colour temperatures of 2700K, 3000K 4000K in 3 various beam angel, narrow (20°) ,standard (35°) and wide (60°).

LED GU10 HL & HCRI is set to replace the 6 watt of GU10 Esmart and GU10 Precise range of Tungsram. Superior quality of light with extraordinary colour rendering capabilities gives excellent energy saving solution who looks for reliable, longlife bright light output.

Application areas



Hospitality

🕣) Home

Product data

Product Code	93119547
Product description	LED GU10 Dim 6.8W HL 940 60° TU
Direct Shipment pair	93119556 - LED GU10 Dim 6W(75) HL 940 60° TU DS
Nominal Length [mm]	54
Net weight per piece [g]	60
Brand	Tungsram
Cap/Base	GU10

Performance data

Nominal/ Rated Beam Angle [°]	60
Color consistency (SDCM)	<6
Rated peak intensity in [Cd]	500
Rated efficacy [lm/W]	75
Energy efficiency class (EEC)	F
Rated life L70/B50 [h]	25000
Input Frequency [Hz]	50-60
Nominal correlated colour temperature (CCT) [K]]	4000
Nominal lumens [lm]	510
Colour Rendering Index (CRI) [Ra]	90
Flicker and Stroboscopic Visibility Measure (SVM)	< 0.4

Electrical data

Nominal lamp power factor	0.85
Operating Temperature (MIN) [°C]	-20
Operating Temperature (MAX) [°C]	40
Starting time (sec)	< 0,1
Number of switching cycles	30000
Dimming Capability	Yes
Nominal lamp voltage range [V]	220-240
Nominal power [W]	6.8

Logistic data

Shipment	Standard
DUN Code	15994100081538
EAN Code	5994100081531
Pack Quantity	10
Product status	Available

Downloads & Links

Go to the catalog site (HTTP) Link to EPREL (HTTP) Datasheet (PDF) Images (HTTP)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.